

County: Lake

Report Date: 4/18/2023

### Summary

Conduent HCI's Data Scoring Tool provides a systematic ranking of your county's indicators to help set priorities for community health improvement. To read more about this tool, please see the Data Scoring Tool Methodology document. The Data Scoring Tool Report's summary includes the topics that are considered significant health needs, and indicators for which significant disparities were identified for your county. Following this summary you will find the full Data Scoring Tool results, including all indicator scores, all topic scores, and the indicators within each topic area that are considered a significant health need. Please keep in mind that this report is a snapshot in time, and only reflects the data that are current on Healthy Northeast Ohio as of the date the Data Scoring Tool was run. The findings from the Data Scoring Tool should be used, along with other considerations, such as community input, when prioritizing the health needs of your county.

### Topic Scores

All indicator scores are averaged by topic area, to allow for a higher-level ranking of community needs. Resulting scores range from 0-3, where a higher score indicates a greater level of need. Below are the topic areas with scores of 1.50 or higher in your county. This is the cutoff used for a topic area to be considered a significant health need. Please see the results section below for the indicators that make up each of these topic areas.

Topic	Indicators	Score
Alcohol & Drug Use	8	1.67
Other Conditions	6	1.50
Women's Health	6	1.50

### Identified Disparities

The Data Scoring Tool allows for the identification of significant disparities that may exist by race/ethnicity, age, and gender. Below are the indicators where significant disparities were identified in your county.

Indicator	County Distribution		Value		Target			Score	Precision	Age
	State	US	State	US	HP2030	Local	Trend			
Workers Commuting by Public Transportation	0	0	3	3	3		2	1.72	High	60-64
People 25+ with a Bachelor's Degree or Higher	0	0	2	3	1.5		1	1.19	High	65+
Renters Spending 30% or More of Household Income on Rent	1	1	1	0	3		1	0.94	High	65+
Persons with an Internet Subscription	0	0	1	1	1.5		0	0.42	High	65+
People Living Below Poverty Level	0	0	0	0	1		1	0.33	High	12-17, <6

Indicator	County Distribution		Value		Target			Score	Precision	Gender
	State	US	State	US	HP2030	Local	Trend			
Age-Adjusted Death Rate due to Unintentional Injuries	2	2	2	3	3		2	2.22	High	Male
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	1	3	1.5		1.5	2.00	Medium	Male
Age-Adjusted Death Rate due to Coronary Heart Disease	2	2	2	3	3		1	1.94	High	Male
Age-Adjusted Death Rate due to Unintentional Poisonings	2	3	1	3	1.5		1	1.86	High	Male
Oral Cavity and Pharynx Cancer Incidence Rate	1	1	1	2	1.5		2	1.47	High	Male
Age-Adjusted Death Rate due to Cancer	0	1	1	2	3		1	1.11	High	Male

Indicator	County Distribution		Value		Target			Score	Precision	Race/Ethnicity
	State	US	State	US	HP2030	Local	Trend			
Workers who Walk to Work	2	2	3	3	1.5		2	2.31	High	Two or More Races
Persons without Health Insurance	1.5	1.5	0	1.5	1.5		1.5	1.25	Low	Asian
People 25+ with a Bachelor's Degree or Higher	0	0	2	3	1.5		1	1.19	High	American Indian/Alaska Native, Black/African American, Other
Life Expectancy	0	1	1	2	1.5		1	1.03	High	Black/African American
Premature Death	0	1	0	1	1.5		1	0.69	High	Black/African American
Per Capita Income	0	0	1	2	1.5		0	0.58	High	Black/African American, Hispanic/Latino, Native Hawaiian/Pacific Islander, Other, Two or More Races
Children Living Below Poverty Level	0	0	0	0	1.5		1	0.36	High	Hispanic/Latino, Other
Families Living Below Poverty Level	0	0	0	0	1.5		1	0.36	High	Hispanic/Latino
Young Children Living Below Poverty Level	0	0	0	0	1.5		1	0.36	High	Hispanic/Latino, Other
People Living Below Poverty Level	0	0	0	1	1.5		1	0.33	High	Black/African American, Hispanic/Latino, Other, Two or More Races
Median Household Income	0	0	0	1	1.5		0	0.25	High	Black/African American, Other

### Results

The remaining pages of this report include the full Data Scoring Tool results for your county, including indicator scores, topic scores, and scoring results by topic for topics with scores of 1.50 or higher.

# Healthy Communities Institute Data Scoring Tool



County: Lake  
Cuyahoga (Northeast Ohio)  
Total indicators: 198  
Tuesday 18th of April 2023 11:51:57 AM



Indicator	County Distribution		Value		Target		Score	Precision
	State	US	State	US	HP2030	Local		
Age-Adjusted Death Rate due to Falls	3	3	3	3	1.5	3	2.92	High
Alcohol-Impaired Driving Deaths	3	3	3	3	1.5	3	2.92	High
Breast Cancer Incidence Rate	3	3	2	2	1.5	3	2.58	High
Cervical Cancer Incidence Rate	1.5	2	3	3	1.5	3	2.50	Medium
Osteoporosis: Medicare Population	3	3	3	2	1.5	2	2.47	High
Hyperlipidemia: Medicare Population	3	3	2	2	1.5	2	2.31	High
Social Associations	3	2	3	2	1.5	2	2.31	High
Workers who Walk to Work	2	2	3	3	1.5	2	2.31	High
Linguistic Isolation	3	2	3	0	1.5	3	2.25	High
Age-Adjusted Death Rate due to Unintentional Injuries	2	2	2	3	3	2	2.22	High
Adults who Feel Overwhelmed by Financial Burdens	3	3	2	2	1.5	1.5	2.17	Medium
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	2	3	2	3	1.5	1.5	2.17	High
Cancer: Medicare Population	2	3	2	2	1.5	2	2.14	High
Homeowner Expenditure-to-Income Ratio	3	3	2	1.5	1.5	1.5	2.08	Medium
Age-Adjusted Death Rate due to Prostate Cancer	2	2	2	2	3	2	2.06	High
Student-to-Teacher Ratio	2	3	2	3	1.5	1	2.03	High
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	1	3	1.5	1.5	2.00	Medium
All Cancer Incidence Rate	2	2	2	2	1.5	2	1.97	High
Age-Adjusted Death Rate due to Coronary Heart Disease	2	2	2	3	3	1	1.94	High
Adults with Cancer	2	2	1.5	3	1.5	1.5	1.92	Medium
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5	1.5	3	1.92	Low
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5	1.5	3	1.92	Low
Size of Labor Force	1.5	1.5	1.5	1.5	1.5	3	1.92	Low
Primary Care Provider Rate	1	2	3	1.5	1.5	2	1.89	Medium
8th Grade Students Proficient in Math	3	1.5	3	1.5	1.5	1	1.86	Medium
Age-Adjusted Death Rate due to Unintentional Poisonings	2	3	1	3	1.5	1	1.86	High
Death Rate due to Drug Poisoning	2	3	1	3	1.5	1	1.86	High
Unemployed Workers in Civilian Labor Force	2	2	3	2	1.5	1	1.86	High
Adults 20+ Who Are Obese	1	2	1.5	1.5	0	3	1.83	Medium
Diabetic Monitoring: Medicare Population	2	2	2	2	1.5	1.5	1.83	High
Atrial Fibrillation: Medicare Population	1	2	2	2	1.5	2	1.81	High
People 65+ Living Alone	2	2	1	2	1.5	2	1.81	High
Adults Ever Diagnosed with Depression	1	2	1.5	3	1.5	1.5	1.75	Medium
Adults with Arthritis	1	2	1.5	3	1.5	1.5	1.75	Medium
Annual Ozone Air Quality	1.5	3	1.5	1.5	1.5	1.5	1.75	Low
Pneumonia Vaccinations: Medicare Population	1	0	1	3	1.5	3	1.75	High
Age-Adjusted Death Rate due to Suicide	1	1	2	2	3	2	1.72	High
Workers Commuting by Public Transportation	0	0	3	3	3	2	1.72	High
Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	2	3	1	1	1.5	1.5	1.67	Medium
COPD: Medicare Population	1	2	1	3	1.5	1.5	1.67	High
Adults 20+ with Diabetes	1	2	1.5	1.5	1.5	2	1.64	Medium
Age-Adjusted Death Rate due to Influenza and Pneumonia	1	1	2	2	1.5	2	1.64	High
COVID-19 Daily Average Incidence Rate	2	2	1	1	1.5	2	1.64	High
Solo Drivers with a Long Commute	2	2	2	0	1.5	2	1.64	High
Weeks of Moderate Drought or Worse	1.5	1.5	1.5	1.5	1.5	2	1.64	Low
Adults who Binge Drink	1	2	1.5	2	1.5	1.5	1.58	Medium
Adults who Experienced Coronary Heart Disease	1	1	1.5	3	1.5	1.5	1.58	Medium
Adults who Smoke	0	2	1	3	3	1.5	1.58	High
Adults with COPD	0	2	1.5	3	1.5	1.5	1.58	Medium
High Cholesterol Prevalence: Adults 18+	2	1	1.5	2	1.5	1.5	1.58	Medium
Home Renter Expenditure-to-Income Ratio	2	2	1	1.5	1.5	1.5	1.58	Medium
Poor Mental Health: 14+ Days	0	2	1.5	3	1.5	1.5	1.58	Medium
Preventable Hospital Stays: Medicare Population	2	2	2	3	1.5	0	1.58	High
Salmonella Infection Incidence Rate	1	1.5	1	1.5	3	2	1.56	Medium
Ischemic Heart Disease: Medicare Population	1	2	2	2	1.5	1	1.53	High
Persons with Health Insurance	1	0	1	1.5	2	3	1.53	High
Adults who Drink Excessively	2	2	1	1	1.5	1.5	1.50	Medium
Gonorrhea Incidence Rate	2	1.5	0	0	1.5	3	1.50	Medium
Households with a Smartphone	1	1	2	2	1.5	1.5	1.50	Medium
Mammogram in Past 2 Years: 50-74	1	1	1.5	2	3	1.5	1.50	Medium
Preterm Births	1	1.5	1	1.5	2	2	1.50	Medium
4th Grade Students Proficient in English/Language Arts	1	1.5	1	1.5	1.5	2	1.47	Medium
Oral Cavity and Pharynx Cancer Incidence Rate	1	1	1	2	1.5	2	1.47	High
Stroke: Medicare Population	1	2	1	1	1.5	2	1.47	High
Violent Crime Rate	2	1.5	0	1.5	1.5	2	1.47	Medium
Age-Adjusted Death Rate due to Lung Cancer	1	1	1	3	3	1	1.44	High
Adults who have had a Routine Checkup	2	1	1.5	1	1.5	1.5	1.42	Medium
Adults with Kidney Disease	1	1	1.5	2	1.5	1.5	1.42	Medium
Clinical Care Ranking	1	1.5	1.5	1.5	1.5	1.5	1.42	Low
Day Care Center and Preschool Expenditure-to-Income Ratio	2	1	1	1.5	1.5	1.5	1.42	Medium
Elder Care Expenditure-to-Income Ratio	2	1	1	1.5	1.5	1.5	1.42	Medium

# Healthy Communities Institute Data Scoring Tool



County: Lake  
Cuyahoga (Northeast Ohio)  
Total indicators: 198  
Tuesday 18th of April 2023 11:51:57 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Health Insurance Expenditure-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Insufficient Sleep	0	2	1	2	3		1.5	1.42	High
Social and Economic Factors Ranking	1	1.5	1.5	1.5	1.5		1.5	1.42	Low
Workers who Drive Alone to Work	1	2	2	3	1.5		0	1.42	High
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	1	1	0	2	3		2	1.39	High
Depression: Medicare Population	1	2	1	2	1.5		1	1.36	High
Heart Failure: Medicare Population	1	2	1	2	1.5		1	1.36	High
Number of Extreme Precipitation Days	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
PBT Released	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Single-Parent Households	2	2	1	1	1.5		1	1.36	High
Adults with Health Insurance	1.5	1.5	1	1	1.5		1.5	1.33	Medium
Children with Health Insurance	1.5	1.5	1	1	1.5		1.5	1.33	Medium
High School Graduation	2	1.5	1	1.5	1		1	1.33	Medium
Households that are Asset Limited, Income Constrained, Employed (ALICE)	1	1.5	1	1.5	1.5		1.5	1.33	Low
Non-Physician Primary Care Provider Rate	1	2	3	1.5	1.5		0	1.33	Medium
Poor Mental Health: Average Number of Days	0	2	1	2	1.5		1.5	1.33	Medium
Asthma: Medicare Population	1	1	1	1	1.5		2	1.31	High
Hypertension: Medicare Population	0	1	1	2	1.5		2	1.31	High
Mean Travel Time to Work	1	1	2	0	1.5		2	1.31	High
Prostate Cancer Incidence Rate	1	1	1	1	1.5		2	1.31	High
Tuberculosis Incidence Rate	3	1.5	0	0	0		2	1.31	High
Age-Adjusted Death Rate due to Colorectal Cancer	1	1	1	2	3		1	1.28	High
Mothers who Received Early Prenatal Care	1	1.5	1	2	1.5		1	1.28	Medium
Adults who Experienced a Stroke	0	1	1.5	2	1.5		1.5	1.25	Medium
Adults who Have Taken Medications for High Blood Pressure	1	1	1.5	1	1.5		1.5	1.25	Medium
Adults with Current Asthma	0	1	1.5	2	1.5		1.5	1.25	Medium
Annual Particle Pollution	1.5	0	1.5	1.5	1.5		1.5	1.25	Low
Cholesterol Test History	0	1	1.5	2	1.5		1.5	1.25	Medium
College Tuition Expenditure-to-Income Ratio	1	1	1	1.5	1.5		1.5	1.25	Medium
Health Behaviors Ranking	0	1.5	1.5	1.5	1.5		1.5	1.25	Low
Morbidity Ranking	0	1.5	1.5	1.5	1.5		1.5	1.25	Low
Mortality Ranking	0	1.5	1.5	1.5	1.5		1.5	1.25	Low
Persons without Health Insurance	1.5	1.5	0	1.5	1.5		1.5	1.25	Low
Physical Environment Ranking	0	1.5	1.5	1.5	1.5		1.5	1.25	Low
Babies with Low Birthweight	1	1.5	0	1	1.5		2	1.22	Medium
8th Grade Students Proficient in English/Language Arts	1	1.5	1	1.5	1.5		1	1.19	Medium
Mothers who Smoked During Pregnancy	0	1.5	0	3	3		1	1.19	High
People 25+ with a Bachelor's Degree or Higher	0	0	2	3	1.5		1	1.19	High
Adults Who Used Electronic Cigarettes: Past 30 Days	1	1	1	1	1.5		1.5	1.17	Medium
Child Food Insecurity Rate	1	1	1	1	1.5		1.5	1.17	Medium
High Blood Pressure Prevalence	0	1	1.5	2	0		1.5	1.17	Medium
Households with Wireless Phone Service	0	0	2	2	1.5		1.5	1.17	Medium
Poor Physical Health: Average Number of Days	0	1	1	2	1.5		1.5	1.17	Medium
Age-Adjusted Death Rate due to Cancer	0	1	1	2	3		1	1.11	High
Colon Cancer Screening: USPSTF Recommendation	0	1	1.5	1	2		1.5	1.11	Medium
Adults who Follow a Regular Exercise Routine	0	1.5	1	1	1.5		1.5	1.08	Medium
Child Care Centers	1	1.5	1	0	1.5		1.5	1.08	Medium
Lung and Bronchus Cancer Incidence Rate	1	1	1	3	1.5		0	1.08	High
Poor Physical Health: 14+ Days	0	0	1.5	2	1.5		1.5	1.08	Medium
Babies with Very Low Birthweight	1	1.5	0	0	1.5		2	1.06	Medium
4th Grade Students Proficient in Math	1	1.5	0	1.5	1.5		1	1.03	Medium
Life Expectancy	0	1	1	2	1.5		1	1.03	High
Liquor Store Density	1	0	3	0	1.5		1	1.03	High
Teen Pregnancy Rate	1	1.5	0	1.5	1.5		1	1.03	Medium
Voter Turnout: Presidential Election	0	1.5	1	1.5	1.5		1	1.03	Medium
Adults with Health Insurance: 18+	0	1	1	1	1.5		1.5	1.00	Medium
Adults with Internet Access	0	0	1	2	1.5		1.5	1.00	Medium
Food Insecurity Rate	0	1	1	1	1.5		1.5	1.00	Medium
Households that are Above the Asset Limited, Income Constrained, Empl	0	1.5	0	1.5	1.5		1.5	1.00	Low
Households that are Below the Federal Poverty Level	0	1.5	0	1.5	1.5		1.5	1.00	Low
Students Eligible for the Free Lunch Program	1	0	2	0	1.5		1.5	1.00	High
Youth not in School or Working	1	1	1	0	1.5		1.5	1.00	High
Cervical Cancer Screening: 21-65	0	0	1.5	1	2		1.5	0.94	Medium
Chlamydia Incidence Rate	2	1.5	0	0	1.5		1	0.94	Medium
Renters Spending 30% or More of Household Income on Rent	1	1	1	0	3		1	0.94	High
Adults 65+ who Received Recommended Preventive Services: Males	0	0	1.5	1	1.5		1.5	0.92	Medium
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1	1.5		0	0.92	High
Cigarette Expenditure-to-Income Ratio	0	0	1	1.5	1.5		1.5	0.92	Medium
Gasoline and Other Fuels Expenditure-to-Income Ratio	0	0	1	1.5	1.5		1.5	0.92	Medium
Self-Reported General Health Assessment: Poor or Fair	0	0	1.5	1	1.5		1.5	0.92	Medium
Utilities Expenditure-to-Income Ratio	0	0	1	1.5	1.5		1.5	0.92	Medium

# Healthy Communities Institute Data Scoring Tool



County: Lake  
Cuyahoga (Northeast Ohio)  
Total indicators: 198  
Tuesday 18th of April 2023 11:51:57 AM



Indicator	County Distribution		Value		Target		Score	Precision	
	State	US	State	US	HP2030	Local			
Vocational, Technical, and Other School Tuition Expenditure-to-Income F	0	0	1	1.5	1.5		1.5	0.92	Medium
Teen Birth Rate: 15-17	0	1.5	0	0	1.5		2	0.89	Medium
Adults 20+ who are Sedentary	0	0	1.5	1.5	1.5		1	0.86	Medium
Chronic Kidney Disease: Medicare Population	0	1	1	1	1.5		1	0.86	High
Diabetes: Medicare Population	0	1	1	1	1.5		1	0.86	High
Food Environment Index	1	1	0	1	1.5		1	0.86	High
Overcrowded Households	0	1.5	0	1.5	1.5		1	0.86	Medium
Persons Fully Vaccinated Against COVID-19	0	0	1.5	1.5	1.5		1	0.86	Medium
Adults who Agree Vaccine Benefits Outweigh Possible Risks	0	0	1	1	1.5		1.5	0.83	Medium
Adults who Visited a Dentist	0	0	1	1	1.5		1.5	0.83	Medium
Households with a Computer	0	0	1	1	1.5		1.5	0.83	Medium
Households with a Savings Account	0	0	1	1	1.5		1.5	0.83	Medium
Infant Mortality Rate	1	1.5	0	0	0		1.5	0.83	High
Mental Health Provider Rate	0	0	3	1.5	1.5		0	0.83	Medium
Self-Reported General Health Assessment: Good or Better	0	0	1	1	1.5		1.5	0.83	Medium
Access to Exercise Opportunities	0	0	0	1	1.5		2	0.81	High
Age-Adjusted Death Rate due to Firearms	1.5	0	0	0	0		2	0.81	High
Age-Adjusted Death Rate due to Breast Cancer	0	1	0	1	3		1	0.78	High
Dentist Rate	0	0	1	1.5	1.5		1	0.78	Medium
Substantiated Child Abuse Rate	0	1.5	0	1.5	0		1	0.78	Medium
Adults 65+ who Received Recommended Preventive Services: Females	0	0	1.5	0	1.5		1.5	0.75	Medium
Adults 65+ with Total Tooth Loss	0	0	1.5	0	1.5		1.5	0.75	Medium
Adults without Health Insurance	0	0	1.5	0	1.5		1.5	0.75	Medium
Home Child Care Expenditure-to-Income Ratio	0	0	0	1.5	1.5		1.5	0.75	Medium
Student Loan Expenditure-to-Income Ratio	0	0	0	1.5	1.5		1.5	0.75	Medium
Premature Death	0	1	0	1	1.5		1	0.69	High
Mammography Screening: Medicare Population	0	0	1	0	1.5		1.5	0.67	High
Age-Adjusted Death Rate due to Diabetes	0	0	0	0	1.5		2	0.64	High
People 65+ Living Below Poverty Level	0	0	0	0	1.5		2	0.64	High
Age-Adjusted Death Rate due to Heart Attack	0	1.5	0	1.5	1.5		0	0.58	Medium
Age-Adjusted Death Rate due to Motor Vehicle Collisions	1.5	1.5	0	0	1.5		0	0.58	Medium
Colorectal Cancer Incidence Rate	0	1	1	1	1.5		0	0.58	High
Per Capita Income	0	0	1	2	1.5		0	0.58	High
Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	0	0	0	1	1.5		1	0.53	High
Flu Vaccinations: Medicare Population	0	0	1	0	1.5		1	0.53	High
Households with Cash Public Assistance Income	0	1	0	0	1.5		1	0.53	High
Households without a Vehicle	0	1	0	0	1.5		1	0.53	High
Houses Built Prior to 1950	0	1	0	0	1.5		1	0.53	High
Mortgaged Owners Spending 30% or More of Household Income on Hou	1.5	0	0	0	0		1	0.53	High
Adults Who Used Smokeless Tobacco: Past 30 Days	0	0	0	0	1.5		1.5	0.50	Medium
Homeownership	0	0	0	0	1.5		1.5	0.50	High
Income Inequality	0	0	0	0	1.5		1.5	0.50	High
Households with an Internet Subscription	0	0	1	1	1.5		0	0.42	High
Households with One or More Types of Computing Devices	0	0	1	1	1.5		0	0.42	High
Persons with an Internet Subscription	0	0	1	1	1.5		0	0.42	High
Adults with Disability Living in Poverty (5-year)	0	0	0	0	1.5		1	0.36	High
Age-Adjusted Death Rate due to Alzheimer's Disease	0	0	0	0	1.5		1	0.36	High
Age-Adjusted Death Rate due to Kidney Disease	0	0	0	0	1.5		1	0.36	High
Children Living Below Poverty Level	0	0	0	0	1.5		1	0.36	High
COVID-19 Daily Average Case-Fatality Rate	0	0	0	0	1.5		1	0.36	High
Families Living Below Poverty Level	0	0	0	0	1.5		1	0.36	High
People Living 200% Above Poverty Level	0	0	0	0	1.5		1	0.36	High
Young Children Living Below Poverty Level	0	0	0	0	1.5		1	0.36	High
People Living Below Poverty Level	0	0	0	0	1		1	0.33	High
Median Household Income	0	0	0	1	1.5		0	0.25	High
Severe Housing Problems	0	0	0	0	1.5		0	0.08	High

# Healthy Communities Institute Data Scoring Tool



County: Lake  
Cuyahoga (Northeast Ohio)  
Total indicators: 198  
Tuesday 18th of April 2023 11:53:18 AM

Topic	Indicators	Score
Alcohol & Drug Use	8	1.67
Other Conditions	6	1.50
Women's Health	6	1.50
Prevention & Safety	7	1.48
Cancer	18	1.47
Heart Disease & Stroke	15	1.45
Older Adults	28	1.45
Physical Activity	6	1.36
Mortality Data	26	1.34
County Health Rankings	6	1.31
Education	13	1.25
Health Care Access & Quality	15	1.25
Immunizations & Infectious Diseases	13	1.25
Diabetes	4	1.24
Respiratory Diseases	14	1.22
Mental Health & Mental Disorders	9	1.19
Community	37	1.17
Maternal, Fetal & Infant Health	8	1.13
Wellness & Lifestyle	11	1.13
Environmental Health	16	1.07
Tobacco Use	5	1.05
Children's Health	5	1.02
Economy	41	0.96
Oral Health	4	0.96
Health Information Technology	7	0.82

# Healthy Communities Institute Data Scoring Tool

## Scoring Results by Topic

County: Lake  
Cuyahoga (Northeast Ohio)  
Total indicators: 198  
Tuesday 18th of April 2023 11:51:57 AM

Topic Selection: Alcohol & Drug Use \*\*\*\*\*

### Alcohol & Drug Use in Lake County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Alcohol-Impaired Driving Deaths	3	3	3	3	1.5		3	2.92	High	N/A
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	1	3	1.5		1.5	2	Medium	Y
Death Rate due to Drug Poisoning	2	3	1	3	1.5		1	1.86	High	N/A
Adults who Binge Drink	1	2	1.5	2	1.5		1.5	1.58	Medium	N/A
Adults who Drink Excessively	2	2	1	1	1.5		1.5	1.5	Medium	N/A
Health Behaviors Ranking	0	1.5	1.5	1.5	1.5		1.5	1.25	Low	N/A
Mothers who Smoked During Pregnancy	0	1.5	0	3	3		1	1.19	High	N/A
Liquor Store Density	1	0	3	0	1.5		1	1.03	High	N/A

# Healthy Communities Institute Data Scoring Tool

## Scoring Results by Topic

County: Lake  
 Cuyahoga (Northeast Ohio)  
 Total indicators: 198  
 Tuesday 18th of April 2023 11:51:57 AM

Topic Selection: Other Conditions \*\*\*\*

### Other Conditions in Lake County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Osteoporosis: Medicare Population	3	3	3	2	1.5		2	2.47	High	N/A
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	2	3	2	3	1.5		1.5	2.17	High	N/A
Adults with Arthritis	1	2	1.5	3	1.5		1.5	1.75	Medium	N/A
Adults with Kidney Disease	1	1	1.5	2	1.5		1.5	1.42	Medium	N/A
Chronic Kidney Disease: Medicare Population	0	1	1	1	1.5		1	0.86	High	N/A
Age-Adjusted Death Rate due to Kidney Disease	0	0	0	0	1.5		1	0.36	High	N

# Healthy Communities Institute Data Scoring Tool

## Scoring Results by Topic

County: Lake  
Cuyahoga (Northeast Ohio)  
Total indicators: 198  
Tuesday 18th of April 2023 11:51:57 AM

Topic Selection: Women's Health \*\*\*\*\*

### Women's Health in Lake County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Breast Cancer Incidence Rate	3	3	2	2	1.5		3	2.58	High	N
Cervical Cancer Incidence Rate	1.5	2	3	3	1.5		3	2.5	Medium	N
Mammogram in Past 2 Years: 50-74	1	1	1.5	2	3		1.5	1.5	Medium	N/A
Cervical Cancer Screening: 21-65	0	0	1.5	1	2		1.5	0.94	Medium	N/A
Age-Adjusted Death Rate due to Breast Cancer	0	1	0	1	3		1	0.78	High	N
Mammography Screening: Medicare Population	0	0	1	0	1.5		1.5	0.67	High	N/A