

County: Portage

Report Date: 4/18/2023

Summary

Conduent HCI's Data Scoring Tool provides a systematic ranking of your county's indicators to help set priorities for community health improvement. To read more about this tool, please see the Data Scoring Tool Methodology document. The Data Scoring Tool Report's summary includes the topics that are considered significant health needs, and indicators for which significant disparities were identified for your county. Following this summary you will find the full Data Scoring Tool results, including all indicator scores, all topic scores, and the indicators within each topic area that are considered a significant health need. Please keep in mind that this report is a snapshot in time, and only reflects the data that are current on Healthy Northeast Ohio as of the date the Data Scoring Tool was run. The findings from the Data Scoring Tool should be used, along with other considerations, such as community input, when prioritizing the health needs of your county.

Topic Scores

All indicator scores are averaged by topic area, to allow for a higher-level ranking of community needs. Resulting scores range from 0-3, where a higher score indicates a greater level of need. Below are the topic areas with scores of 1.50 or higher in your county. This is the cutoff used for a topic area to be considered a significant health need. Please see the results section below for the indicators that make up each of these topic areas.

Topic	Indicators	Score
Mental Health & Mental Disorders	9	1.63
Women's Health	6	1.62
Tobacco Use	5	1.61

Identified Disparities

The Data Scoring Tool allows for the identification of significant disparities that may exist by race/ethnicity, age, and gender. Below are the indicators where significant disparities were identified in your county.

Indicator	County Distribution		Value		Target			Score	Precision	Age
	State	US	State	US	HP2030	Local	Trend			
Renters Spending 30% or More of Household Income on Rent	3	3	3	2	3		2	2.56	High	15-24, 65+
Workers who Walk to Work	1	1	1	3	1.5		2	1.64	High	45-54
Persons with an Internet Subscription	1	1	2	2	1.5		0	1.08	High	65+
People 25+ with a Bachelor's Degree or Higher	0	0	1	3	1.5		0	0.75	High	65+
People Living Below Poverty Level	1	1	0	0	3		0	0.50	High	18-24, 6-11

Indicator	County Distribution		Value		Target			Score	Precision	Gender
	State	US	State	US	HP2030	Local	Trend			
Age-Adjusted Death Rate due to Suicide	1	1	2	3	3		2	1.89	High	Male
Age-Adjusted Death Rate due to Coronary Heart Disease	1	2	2	3	3		1	1.78	High	Male
Oral Cavity and Pharynx Cancer Incidence Rate	1	1	1	1	1.5		1	1.03	High	Male

Indicator	County Distribution		Value		Target			Score	Precision	Race/Ethnicity
	State	US	State	US	HP2030	Local	Trend			
Age-Adjusted Death Rate due to Coronary Heart Disease	1	2	2	3	3		1	1.78	High	Black/African American
Workers who Walk to Work	1	1	1	3	1.5		2	1.64	High	Hispanic/Latino
Life Expectancy	0	1	1	2	1.5		1	1.03	High	Black/African American
Workers who Drive Alone to Work	0	1	1	2	1.5		1	1.03	High	Native Hawaiian/Pacific Islander
Median Household Income	1	1	1	2	1.5		0	0.92	High	Black/African American, Hispanic/Latino, Two or More Races
People 65+ Living Below Poverty Level	0	0	0	0	1.5		3	0.92	High	Hispanic/Latino
Prostate Cancer Incidence Rate	1	1	0	1	1.5		1	0.86	High	Black/African American
Per Capita Income	0	0	2	2	1.5		0	0.75	High	Black/African American, Hispanic/Latino, Native Hawaiian/Pacific Islander, Other, Two or More Races
Families Living Below Poverty Level	1	1	0	0	1.5		1	0.69	High	Black/African American
People Living Below Poverty Level	1	1	0	0	3		0	0.50	High	Asian, Black/African American, Two or More Races
Children Living Below Poverty Level	1	1	0	0	1.5		0	0.42	High	Black/African American, Two or More Races

Results

The remaining pages of this report include the full Data Scoring Tool results for your county, including indicator scores, topic scores, and scoring results by topic for topics with scores of 1.50 or higher.

Healthy Communities Institute Data Scoring Tool



County: Portage
Cuyahoga (Northeast Ohio)
Total indicators: 200
Tuesday 18th of April 2023 11:59:58 AM



Indicator	County Distribution		Value		Target		Local	Trend	Score	Precision
	State	US	State	US	HP2030					
Social Associations	3	2	3	2	1.5		3	2.58	High	
Renters Spending 30% or More of Household Income on Rent	3	3	3	2	3		2	2.56	High	
Asthma: Medicare Population	2	3	3	3	1.5		2	2.47	High	
Babies with Very Low Birthweight	3	1.5	3	3	1.5		2	2.39	Medium	
COVID-19 Daily Average Incidence Rate	3	3	3	3	1.5		1	2.36	High	
Depression: Medicare Population	3	3	3	3	1.5		1	2.36	High	
Alcohol-Impaired Driving Deaths	2	3	2	3	1.5		2	2.31	High	
Age-Adjusted Death Rate due to Breast Cancer	2	2	2	3	3		2	2.22	High	
Colorectal Cancer Incidence Rate	2	2	2	3	1.5		2	2.14	High	
Adults Ever Diagnosed with Depression	2	3	1.5	3	1.5		1.5	2.08	Medium	
Adults who Binge Drink	3	2	1.5	3	1.5		1.5	2.08	Medium	
Cholesterol Test History	3	3	1.5	2	1.5		1.5	2.08	Medium	
Poor Mental Health: 14+ Days	2	3	1.5	3	1.5		1.5	2.08	Medium	
Primary Care Provider Rate	2	2	3	1.5	1.5		2	2.06	Medium	
Salmonella Infection Incidence Rate	2	1.5	3	1.5	3		2	2.06	Medium	
Workers Commuting by Public Transportation	1	1	3	3	3		2	2.06	High	
Adults Who Used Electronic Cigarettes: Past 30 Days	3	2	2	2	1.5		1.5	2.00	Medium	
Solo Drivers with a Long Commute	2	2	3	2	1.5		1.5	2.00	High	
Hyperlipidemia: Medicare Population	2	2	2	2	1.5		2	1.97	High	
Cervical Cancer Screening: 21-65	3	2	1.5	2	2		1.5	1.94	Medium	
Insufficient Sleep	1	3	1	3	3		1.5	1.92	High	
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low	
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low	
Age-Adjusted Death Rate due to Suicide	1	1	2	3	3		2	1.89	High	
Persons with Health Insurance	1	1	2	1.5	2		3	1.86	High	
Adults who Drink Excessively	3	2	1	2	1.5		1.5	1.83	Medium	
Babies with Low Birthweight	2	1.5	1	1	1.5		3	1.83	Medium	
Diabetic Monitoring: Medicare Population	2	2	2	2	1.5		1.5	1.83	High	
Non-Physician Primary Care Provider Rate	3	3	3	1.5	1.5		0	1.83	Medium	
Student-to-Teacher Ratio	1	3	2	2	1.5		1.5	1.83	High	
Atrial Fibrillation: Medicare Population	1	2	2	2	1.5		2	1.81	High	
Children with Health Insurance	1.5	1.5	2	2	1.5		2	1.81	Medium	
Food Environment Index	2	2	1	2	1.5		2	1.81	High	
Age-Adjusted Death Rate due to Colorectal Cancer	1	2	2	3	3		1	1.78	High	
Age-Adjusted Death Rate due to Coronary Heart Disease	1	2	2	3	3		1	1.78	High	
Adults who have had a Routine Checkup	3	2	1.5	1	1.5		1.5	1.75	Medium	
Adults who Have Taken Medications for High Blood Pressure	3	2	1.5	1	1.5		1.5	1.75	Medium	
Households without a Vehicle	2	2	1	0	1.5		3	1.75	High	
Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	2	3	1	1	1.5		1.5	1.67	Medium	
Adults Who Used Smokeless Tobacco: Past 30 Days	1	0	3	3	1.5		1.5	1.67	Medium	
COPD: Medicare Population	1	2	1	3	1.5		1.5	1.67	High	
Households that are Asset Limited, Income Constrained, Employed (ALICE)	2	1.5	2	1.5	1.5		1.5	1.67	Low	
Poor Mental Health: Average Number of Days	1	2	1	3	1.5		1.5	1.67	Medium	
Preterm Births	2	1.5	1	1.5	2		2	1.67	Medium	
4th Grade Students Proficient in English/Language Arts	2	1.5	1	1.5	1.5		2	1.64	Medium	
4th Grade Students Proficient in Math	2	1.5	1	1.5	1.5		2	1.64	Medium	
Breast Cancer Incidence Rate	2	2	1	1	1.5		2	1.64	High	
People 65+ Living Alone	1	2	1	2	1.5		2	1.64	High	
Size of Labor Force	1.5	1.5	1.5	1.5	1.5		2	1.64	Low	
Weeks of Moderate Drought or Worse	1.5	1.5	1.5	1.5	1.5		2	1.64	Low	
Workers who Walk to Work	1	1	1	3	1.5		2	1.64	High	
Age-Adjusted Death Rate due to Cancer	1	2	1	3	3		1	1.61	High	
Adults who Follow a Regular Exercise Routine	1	1.5	2	2	1.5		1.5	1.58	Medium	
Adults who Smoke	0	2	1	3	3		1.5	1.58	High	
Adults with Current Asthma	1	2	1.5	2	1.5		1.5	1.58	Medium	
College Tuition Expenditure-to-Income Ratio	2	2	1	1.5	1.5		1.5	1.58	Medium	
Heart Failure: Medicare Population	2	2	2	3	1.5		0	1.58	High	
Home Renter Expenditure-to-Income Ratio	2	2	1	1.5	1.5		1.5	1.58	Medium	
Homeowner Expenditure-to-Income Ratio	2	2	1	1.5	1.5		1.5	1.58	Medium	
Overcrowded Households	1	1.5	0	1.5	1.5		3	1.58	Medium	
Adults 20+ Who Are Obese	1	2	1.5	1.5	0		2	1.56	Medium	
Annual Ozone Air Quality	1.5	1	1.5	1.5	1.5		2	1.56	Low	
Persons without Health Insurance	1.5	1.5	1	1.5	1.5		2	1.56	Low	
Mean Travel Time to Work	2	2	2	1	1.5		1	1.53	High	
Adults who Feel Overwhelmed by Financial Burdens	2	2	1	1	1.5		1.5	1.50	Medium	
Mammogram in Past 2 Years: 50-74	1	1	1.5	2	3		1.5	1.50	Medium	
Adults with Health Insurance	1.5	1.5	1	1	1.5		2	1.47	Medium	
Age-Adjusted Death Rate due to Alzheimer's Disease	1	1	1	2	1.5		2	1.47	High	
Cancer: Medicare Population	1	2	1	1	1.5		2	1.47	High	
High School Graduation	2	1.5	1	1.5	1		1.5	1.47	Medium	
Age-Adjusted Death Rate due to Lung Cancer	1	1	1	3	3		1	1.44	High	

Healthy Communities Institute Data Scoring Tool



County: Portage
Cuyahoga (Northeast Ohio)
Total indicators: 200
Tuesday 18th of April 2023 11:59:58 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Colon Cancer Screening: USPSTF Recommendation	1	1	1.5	2	2		1.5	1.44	Medium
Dentist Rate	1	1	3	1.5	1.5		1	1.44	Medium
Adults with Arthritis	0	1	1.5	3	1.5		1.5	1.42	Medium
Adults with COPD	0	1	1.5	3	1.5		1.5	1.42	Medium
Cigarette Expenditure-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Clinical Care Ranking	1	1.5	1.5	1.5	1.5		1.5	1.42	Low
Day Care Center and Preschool Expenditure-to-Income Ratio	2	1	1	1.5	1.5		1.5	1.42	Medium
Gasoline and Other Fuels Expenditure-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Health Behaviors Ranking	1	1.5	1.5	1.5	1.5		1.5	1.42	Low
Health Insurance Expenditure-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Morbidity Ranking	1	1.5	1.5	1.5	1.5		1.5	1.42	Low
Mothers who Smoked During Pregnancy	1	1.5	2	3	3		0	1.42	High
Social and Economic Factors Ranking	1	1.5	1.5	1.5	1.5		1.5	1.42	Low
Utilities Expenditure-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Cervical Cancer Incidence Rate	1.5	1	1	1	1.5		2	1.39	Medium
Chlamydia Incidence Rate	3	1.5	0	0	1.5		2	1.39	Medium
Adults 20+ who are Sedentary	1	2	1.5	1.5	1.5		1	1.36	Medium
All Cancer Incidence Rate	1	2	1	2	1.5		1	1.36	High
Income Inequality	2	2	1	1	1.5		1	1.36	High
Ischemic Heart Disease: Medicare Population	1	2	1	2	1.5		1	1.36	High
Lung and Bronchus Cancer Incidence Rate	1	1	1	3	1.5		1	1.36	High
Number of Extreme Heat Days	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Number of Extreme Heat Events	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Number of Extreme Precipitation Days	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
PBT Released	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Recognized Carcinogens Released into Air	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	1	2	1	2	1.5		1	1.36	High
Adults who Agree Vaccine Benefits Outweigh Possible Risks	1	0	2	2	1.5		1.5	1.33	Medium
Adults with Health Insurance: 18+	1	1	1	2	1.5		1.5	1.33	Medium
Food Insecurity Rate	1	1	2	1	1.5		1.5	1.33	Medium
Households that are Above the Asset Limited, Income Constrained, Empl	1	1.5	1	1.5	1.5		1.5	1.33	Low
Poor Physical Health: Average Number of Days	0	1	2	2	1.5		1.5	1.33	Medium
8th Grade Students Proficient in Math	1	1.5	0	1.5	1.5		2	1.31	Medium
Access to Exercise Opportunities	0	0	2	2	1.5		2	1.31	High
Hypertension: Medicare Population	0	1	1	2	1.5		2	1.31	High
Liquor Store Density	1	0	3	0	1.5		2	1.31	High
Adults 65+ who Received Recommended Preventive Services: Males	1	1	1.5	1	1.5		1.5	1.25	Medium
Adults who Experienced Coronary Heart Disease	0	0	1.5	3	1.5		1.5	1.25	Medium
Adults with Cancer	0	1	1.5	2	1.5		1.5	1.25	Medium
Age-Adjusted Death Rate due to Kidney Disease	0	1	0	1	1.5		3	1.25	High
Annual Particle Pollution	1.5	0	1.5	1.5	1.5		1.5	1.25	Low
Elder Care Expenditure-to-Income Ratio	1	1	1	1.5	1.5		1.5	1.25	Medium
Home Child Care Expenditure-to-Income Ratio	1	1	1	1.5	1.5		1.5	1.25	Medium
Mortality Ranking	0	1.5	1.5	1.5	1.5		1.5	1.25	Low
Mortgaged Owners Spending 30% or More of Household Income on Hou	1.5	1	3	0	1		1	1.25	High
Physical Environment Ranking	0	1.5	1.5	1.5	1.5		1.5	1.25	Low
Student Loan Expenditure-to-Income Ratio	1	1	1	1.5	1.5		1.5	1.25	Medium
Vocational, Technical, and Other School Tuition Expenditure-to-Income F	1	1	1	1.5	1.5		1.5	1.25	Medium
Gonorrhea Incidence Rate	2	1.5	0	0	1.5		2	1.22	Medium
Age-Adjusted Death Rate due to Diabetes	1	1	1	2	1.5		1	1.19	High
Chronic Kidney Disease: Medicare Population	1	2	1	1	1.5		1	1.19	High
Voter Turnout: Presidential Election	1	1.5	1	1.5	1.5		1	1.19	Medium
Households that are Below the Federal Poverty Level	1	1.5	0	1.5	1.5		1.5	1.17	Low
Households with Wireless Phone Service	0	0	2	2	1.5		1.5	1.17	Medium
Mental Health Provider Rate	1	1	3	1.5	1.5		0	1.17	Medium
8th Grade Students Proficient in English/Language Arts	0	1.5	0	1.5	1.5		2	1.14	Medium
Age-Adjusted Death Rate due to Falls	1	1	0	1	1.5		2	1.14	High
Pneumonia Vaccinations: Medicare Population	0	0	0	3	1.5		2	1.14	High
Premature Death	0	1	0	2	1.5		2	1.14	High
Child Care Centers	1	1.5	1	0	1.5		1.5	1.08	Medium
Households with an Internet Subscription	1	1	2	2	1.5		0	1.08	High
Persons with an Internet Subscription	1	1	2	2	1.5		0	1.08	High
Poor Physical Health: 14+ Days	0	0	1.5	2	1.5		1.5	1.08	Medium
Self-Reported General Health Assessment: Poor or Fair	0	1	1.5	1	1.5		1.5	1.08	Medium
Severe Housing Problems	3	2	1	0	1.5		0	1.08	High
Adults 20+ with Diabetes	0	1	1.5	1.5	1.5		1	1.03	Medium
Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	0	1	1	2	1.5		1	1.03	High
Homeownership	2	1	1	0	1.5		1	1.03	High
Houses Built Prior to 1950	0	2	0	2	1.5		1	1.03	High
Life Expectancy	0	1	1	2	1.5		1	1.03	High
Mammography Screening: Medicare Population	1	1	1	1	1.5		1	1.03	High

Healthy Communities Institute Data Scoring Tool



County: Portage
Cuyahoga (Northeast Ohio)
Total indicators: 200
Tuesday 18th of April 2023 11:59:58 AM



Indicator	County Distribution		Value		Target		Score	Precision
	State	US	State	US	HP2030	Local		
Oral Cavity and Pharynx Cancer Incidence Rate	1	1	1	1	1.5	1	1.03	High
Persons Fully Vaccinated Against COVID-19	0	1	1.5	1.5	1.5	1	1.03	Medium
Workers who Drive Alone to Work	0	1	1	2	1.5	1	1.03	High
Adults who Visited a Dentist	0	0	1	2	1.5	1.5	1.00	Medium
Adults with Internet Access	0	0	1	2	1.5	1.5	1.00	Medium
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	0	1	0	1	2	2	1.00	High
High Blood Pressure Prevalence	0	0	1.5	2	0	1.5	1.00	Medium
Households with a Computer	0	0	1	2	1.5	1.5	1.00	Medium
Households with a Savings Account	0	0	1	2	1.5	1.5	1.00	Medium
Households with a Smartphone	0	0	1	2	1.5	1.5	1.00	Medium
Self-Reported General Health Assessment: Good or Better	0	0	1	2	1.5	1.5	1.00	Medium
Osteoporosis: Medicare Population	1	1	0	0	1.5	2	0.97	High
Mothers who Received Early Prenatal Care	0	1.5	0	2	1.5	1	0.94	Medium
Adults 65+ with Total Tooth Loss	0	1	1.5	0	1.5	1.5	0.92	Medium
Adults who Experienced a Stroke	0	0	1.5	1	1.5	1.5	0.92	Medium
Adults with Kidney Disease	0	0	1.5	1	1.5	1.5	0.92	Medium
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1	1.5	0	0.92	High
High Cholesterol Prevalence: Adults 18+	0	0	1.5	1	1.5	1.5	0.92	Medium
Median Household Income	1	1	1	2	1.5	0	0.92	High
People 65+ Living Below Poverty Level	0	0	0	0	1.5	3	0.92	High
Adults with Disability Living in Poverty (5-year)	1	1	0	1	1.5	1	0.86	High
Age-Adjusted Death Rate due to Firearms	1.5	0	0	0	1	2	0.86	High
Diabetes: Medicare Population	0	1	1	1	1.5	1	0.86	High
Linguistic Isolation	2	1	0	0	1.5	1	0.86	High
Prostate Cancer Incidence Rate	1	1	0	1	1.5	1	0.86	High
Teen Pregnancy Rate	0	1.5	0	1.5	1.5	1	0.86	Medium
Unemployed Workers in Civilian Labor Force	1	1	1	0	1.5	1	0.86	High
Violent Crime Rate	0	1.5	0	1.5	1.5	1	0.86	Medium
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	0	1	0	1	1.5	1.5	0.83	Medium
Stroke: Medicare Population	0	1	0	0	1.5	2	0.81	High
Adults 65+ who Received Recommended Preventive Services: Females	0	0	1.5	0	1.5	1.5	0.75	Medium
Adults without Health Insurance	0	0	1.5	0	1.5	1.5	0.75	Medium
Infant Mortality Rate	1	1.5	0	0	1	1	0.75	High
People 25+ with a Bachelor's Degree or Higher	0	0	1	3	1.5	0	0.75	High
People Living 200% Above Poverty Level	1	1	1	1	1.5	0	0.75	High
Per Capita Income	0	0	2	2	1.5	0	0.75	High
Families Living Below Poverty Level	1	1	0	0	1.5	1	0.69	High
Flu Vaccinations: Medicare Population	1	0	1	0	1.5	1	0.69	High
Households with Cash Public Assistance Income	1	1	0	0	1.5	1	0.69	High
Single-Parent Households	1	1	0	0	1.5	1	0.69	High
Child Food Insecurity Rate	0	1	0	0	1.5	1.5	0.67	Medium
Substantiated Child Abuse Rate	1	1.5	0	1.5	0	0	0.67	Medium
Teen Birth Rate: 15-17	0	1.5	0	0	1.5	1	0.61	Medium
Age-Adjusted Death Rate due to Heart Attack	0	1.5	0	1.5	1.5	0	0.58	Medium
Households with One or More Types of Computing Devices	0	0	1	2	1.5	0	0.58	High
Preventable Hospital Stays: Medicare Population	1	1	0	1	1.5	0	0.58	High
Students Eligible for the Free Lunch Program	1	0	2	0	1.5	0	0.58	High
Tuberculosis Incidence Rate	0	1.5	0	0	0	1	0.53	High
People Living Below Poverty Level	1	1	0	0	3	0	0.50	High
Age-Adjusted Death Rate due to Influenza and Pneumonia	0	1	0	1	1.5	0	0.42	High
Age-Adjusted Death Rate due to Unintentional Poisonings	0	1	0	1	1.5	0	0.42	High
Children Living Below Poverty Level	1	1	0	0	1.5	0	0.42	High
Death Rate due to Drug Poisoning	0	1	0	1	1.5	0	0.42	High
Young Children Living Below Poverty Level	1	1	0	0	1.5	0	0.42	High
COVID-19 Daily Average Case-Fatality Rate	0	0	0	0	1.5	1	0.36	High
Age-Adjusted Death Rate due to Prostate Cancer	0	0	0	0	0	1	0.28	High
Age-Adjusted Death Rate due to Unintentional Injuries	0	0	0	0	2	0	0.11	High
Youth not in School or Working	0	0	0	0	1.5	0	0.08	High

Healthy Communities Institute Data Scoring Tool



County: Portage
Cuyahoga (Northeast Ohio)
Total indicators: 200
Tuesday 18th of April 2023 12:02:37 PM

Topic	Indicators	Score
Mental Health & Mental Disorders	9	1.63
Women's Health	6	1.62
Tobacco Use	5	1.61
Physical Activity	6	1.48
Alcohol & Drug Use	8	1.45
Environmental Health	19	1.45
Cancer	18	1.43
Health Care Access & Quality	15	1.43
Respiratory Diseases	14	1.42
Older Adults	28	1.39
County Health Rankings	6	1.36
Education	13	1.35
Heart Disease & Stroke	15	1.34
Maternal, Fetal & Infant Health	8	1.31
Wellness & Lifestyle	11	1.31
Diabetes	4	1.23
Community	36	1.19
Immunizations & Infectious Diseases	13	1.19
Other Conditions	6	1.19
Economy	41	1.17
Mortality Data	25	1.13
Oral Health	4	1.10
Children's Health	5	1.09
Health Information Technology	7	0.99
Prevention & Safety	6	0.67

Healthy Communities Institute Data Scoring Tool

Scoring Results by Topic

County: Portage
 Cuyahoga (Northeast Ohio)
 Total indicators: 200
 Tuesday 18th of April 2023 11:59:58 AM

Topic Selection: Mental Health & Mental Disorders *****

Mental Health & Mental Disorders in Portage County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Depression: Medicare Population	3	3	3	3	1.5		1	2.36	High	N/A
Adults Ever Diagnosed with Depression	2	3	1.5	3	1.5		1.5	2.08	Medium	N/A
Poor Mental Health: 14+ Days	2	3	1.5	3	1.5		1.5	2.08	Medium	N/A
Age-Adjusted Death Rate due to Suicide	1	1	2	3	3		2	1.89	High	Y
Poor Mental Health: Average Number of Days	1	2	1	3	1.5		1.5	1.67	Medium	N/A
Age-Adjusted Death Rate due to Alzheimer's Disease	1	1	1	2	1.5		2	1.47	High	N
Mental Health Provider Rate	1	1	3	1.5	1.5		0	1.17	Medium	N/A
Self-Reported General Health Assessment: Good or Better	0	0	1	2	1.5		1.5	1	Medium	N/A
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1	1.5		0	0.92	High	N/A

Healthy Communities Institute Data Scoring Tool

Scoring Results by Topic

County: Portage
 Cuyahoga (Northeast Ohio)
 Total indicators: 200
 Tuesday 18th of April 2023 11:59:58 AM

Topic Selection: Women's Health *****

Women's Health in Portage County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Breast Cancer	2	2	2	3	3		2	2.22	High	N
Cervical Cancer Screening: 21-65	3	2	1.5	2	2		1.5	1.94	Medium	N/A
Breast Cancer Incidence Rate	2	2	1	1	1.5		2	1.64	High	N
Mammogram in Past 2 Years: 50-74	1	1	1.5	2	3		1.5	1.5	Medium	N/A
Cervical Cancer Incidence Rate	1.5	1	1	1	1.5		2	1.39	Medium	N
Mammography Screening: Medicare Population	1	1	1	1	1.5		1	1.03	High	N/A

Healthy Communities Institute Data Scoring Tool

Scoring Results by Topic

County: Portage
Cuyahoga (Northeast Ohio)
Total indicators: 200
Tuesday 18th of April 2023 11:59:58 AM

Topic Selection: Tobacco Use
Topic Score: 1.61 *****

Tobacco Use in Portage County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Adults Who Used Electronic Cigarettes: Past 30 Days	3	2	2	2	1.5		1.5	2	Medium	N/A
Adults Who Used Smokeless Tobacco: Past 30 Days	1	0	3	3	1.5		1.5	1.67	Medium	N/A
Adults who Smoke	0	2	1	3	3		1.5	1.58	High	N/A
Cigarette Expenditure-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium	N/A
Lung and Bronchus Cancer Incidence Rate	1	1	1	3	1.5		1	1.36	High	N